A NOVEL 2.45 GHz SWITCHABLE BEAM TEXTILE ANTENNA (SBTA) FOR OUTDOOR WIRELESS BODY AREA NETWORK (WBAN) APPLICATIONS

Mohd I. Jais^{1,*}, Mohd F. Jamlos¹, Muzammil Jusoh¹, Thennarasan Sabapathy¹, Muhammad R. Kamarudin², R. B. Ahmad³, Azremi A. Al-Hadi Azremi¹, Emi I. Azmi³, Ping J. Soh^{3, 4}, Guy A. E. Vandenbosch⁴, Nur L. K. Ishak¹

¹Advanced Communication Engineering Centre (ACE), School of Computer and Communication Engineering, Universiti Malaysia Perlis (UniMAP), Kampus Pauh Putra, Arau, Perlis 02600, Malaysia

²Wireless Communication Centre (WCC), Faculty of Electrical Engineering, Universiti Teknologi Malaysia (UTM), Skudai, Johor 81310, Malaysia

³School of Computer and Communication Engineering, Universiti-Malaysia Perlis (UniMAP), Kampus Pauh Putra, Arau, Perlis 02600, Malaysia

⁴ESAT-TELEMIC Research Division, Department of Electrical Engineering, Katholieke Universiteit Leuven, Kasteelpark Arenberg 10, Leuven 3001, Belgium

Abstract—A novel switchable beam textile antenna (SBTA) for wireless body area network (WBAN) applications is proposed. The SBTA is centrally-fed by a coaxial probe and the power distributed over four circular radiating elements. Four RF switches are integrated through which the SBTA is able to generate beam steering in four directions: 0° , 90° , 180° , and 270° , with a maximum directivity of $6.8\,\mathrm{dBi}$ at 0° . Its small size $(88\,\mathrm{mm}\times88\,\mathrm{mm})$ and flexibility enables the structure to be easily integrated into safety jackets, rain coats, etc., for tracking, and search and rescue communication purposes. The structure successfully integrates reconfigurability into a wearable textile antenna.

Received 26 February 2013, Accepted 28 March 2013, Scheduled 12 April 2013

^{*} Corresponding author: Mohd Ilman Jais (ilman_kun@yahoo.com).

1. INTRODUCTION

Wearable textile antenna is crucial in providing comfort to users in wireless body area network (WBAN) [1]. Initial applications of WBAN have appeared primarily in the healthcare domain especially for continuous monitoring and logging vital parameters of patients suffering from chronic diseases. On-body communications, which is currently under standardization by IEEE 802.15.6 body area network (BAN) group [2,3] is aimed for use in various areas such as military, personal recreation, sport equipment etc..

The principal requirement for wearable antennas is the use of flexible materials for ease of integration into clothing [4–8]. The proposed switchable beam textile antenna (SBTA) is designed on textiles to enable flexibility and fulfill this development requirement. This research, to our best knowledge, is the first effort in realizing a combination of such beam-switching feature onto a wearable radiator, which is an intermediate step towards realizing a wearable smart antenna system [9].

Research towards the switchable antenna has gained significant attention among researchers in recent years. Extending this antenna feature to a body-worn implementation needs not only peak gain considerations offered by the designed antennas, but also the coverage distribution around the body [10,11]. Moreover, it is important to maintain a good outwards-radiating antenna gain throughout most parts of the body to avoid problems with excellent gain over a particular direction as the wearer moves or turns.

A conventional switchable antenna refers to a radiator capable of characteristic reconfiguration, either in terms of operating frequency, radiation patterns, polarizations or directivity through the control of RF switches [12–22]. These RF switches are only a small addition to the hardware requirements to enable this reconfigurable scheme and this research realize the utilization of silver loaded epoxy adhesive is effective in providing a solderless connection between the conductive textiles compared to larger and more complex elements such as phase shifters shown in Figure 1. The use of these small switches is especially practical for implementation on flexible materials and garments [23, 24]. Moreover, the utilized silver conductive epoxy is effective in providing a solderless connection between the conductive textiles and the implemented RF switches.

The four outer circular elements at the antenna's 0°, 90°, 180° and 270° directions are connected by RF switches at its center facilitated beam steering without any external circuitry and simultaneously achieving directivity at each beam-steered directions. The proposed




Figure 1. An array antenna implemented with phase shifter [23].

SBTA sized at $88 \,\mathrm{mm} \times 88 \,\mathrm{mm}$ is relatively small and extremely suitable to be implemented on smart garments.

This paper is organized as follows: the design and RF switch integration procedure for this SBTA is explained in Section 2. The comparative analysis between measurement and simulated result is then presented in the following section. This includes its reflection coefficient, radiation pattern and surface current distribution. Finally, a conclusion is drawn in Section 4.

2. ANTENNA STRUCTURE

The structure of the proposed SBTA is depicted in Figure 2. Four circular patches, each with a radius of $10\,\mathrm{mm}$, are located at 0° , 90° , 180° and 270° . They are connected by four arms to the center patch, which has a radius of $15\,\mathrm{mm}$. Four RF switches are located at the middle of these arms. Theouter circular patches are connected to the central patch using transmission lines with widths of $5\,\mathrm{mm}$. The centers of the four patches are and the longitudinal axes of the transmission lines are located on a circular with the radius of $27\,\mathrm{mm}$. Equal current distribution among the outer circles is achieved by maintaining the line width at $5\,\mathrm{mm}$, producing a $50\,\Omega$ input impedance without the use of additional quarter wavelength transformers [25].

The SBTA lines and patches are designed and fabricated using Shieldit Super textile as its conductive element. It is 0.17 mm thick, made of polyester base material coated using nickel and copper. This translates to an estimated conductivity of 6.67×10^5 S/m calculated using the equation proposed in [26, 27]. Besides its excellent conductivity and low corrosion, ShieldIt can be easily dimensioned using normal cutting tools. The properly dimensioned ShieldIt is then secured to the felt substrate (with permittivity of 1.22 and thickness of 2 mm) using a non-conductive hot melt adhesive layer on its reverse side, which is activated by ironing at c.a. 130° C. The detailed




Figure 2. Simulated structure of proposed SBTA: (a) Front view, (b) rear view, (c) perspective view with open boundary conditions.

fabrication procedure is explained in [28]. Polyester-based textiles such as ShieldIt are also more hydrophobic, which reduces proneness to moisture absorption and thus allows for better conservation its electromagnetic properties [29].

The RF switch at the center of each transmission line arm consists of two capacitors and two inductors as shown in Figure 3. Each capacitor allows RF current to flow into a particular outer circular patch while simultaneously blocking the direct current (DC). On the other hand, the inductors act as short circuits to ensure the activation of each RF switch at a particular time. Figure 4 shows the prototype that has been developed fully on textiles, fed using probes with 0.5 mm radius for outdoor measurements at 2.45 GHz WBAN band.




Figure 3. RF switches integration into SBTA structure.




Figure 4. Pictures of the fabricated antenna: (a) Front view and (b) rear view (c) on field testing.

3. RESULTS AND DISCUSSION

The beam switching using the RF switches is successfully achieved, as shown in Figures 5 and 6. The main lobe is directed towards the 180° direction in Figure 5(a) when RF switch (i) is activated, with a directivity of 6.4 dBi. Figure 5(b) shows the main lobe steering towards the 270° direction with a peak directivity of 6.5 dBi and a half-power beamwidth (HPBW) of 86.3° when RF switch (ii) is activated. When switch (iii) is turned on, a directivity of 6.7 dBi and a HPBW of 88° is obtained in the 0° direction, see Figure 5(c). The activation of switch (iv) results in a beam tilting towards the 90° direction with directivity 6.8 dBi and a beamwidth of 86.3°, as shown in Figure 5(d). In summary, the SBTA is able to successfully tilt the beam towards four different directions, each with peak directivity of 6.8 dBi. The measured and simulated patterns are agreeing very well, as summarized in Table 1.

The beam switching and steering of this wearable antenna is efficiently accomplished by this five circular elements structure and the RF switch's sequential activation. It also goes further to prove that the silver loaded epoxy is capable of acting as a reliable solder lead alternative for conductive connection between the switches and the conductive textiles.

The SBTA surface current distributions for each switch at the "ON" state are illustrated in Figure 7. The current is distributed from the $50\,\Omega$ SMA feed towards the outer patch for which the switch is "ON". The radiation mechanism of this antenna is very related to this surface current distribution where this current is mainly controlled by the switching configuration. In fact, the direction of main beam




Figure 5. Simulated and measured and radiation patterns of the SBTA. (a) Switch (i) is ON, (b) switch (ii) is ON, (c) switch (iii) is ON, (d) switch (iv) is ON. At each specific "ON" state, all other unmentioned RF switches are in the 'OFF' state.

is dependent on switch configuration. Initially, the RF current is centered at the location of the coaxial port. Then, each of the switch configuration changed the direction of the current flow which is excited from coaxial port. With the switching, main beam could be pulled towards a direction where the current flow is maximum. For instance, when RF switch 'i' ON, majority of the RF current flows toward to 180° angle, hence the main beam is pulled towards 180° angle. Similarly, the current profiles for each switch's "ON" states are depicted in the subsequent Figures 7(a), (c) and (d).




Figure 6. Simulated SBTA radiation patterns at angles: (a) 180° , (b) 270° , (c) 0° and (d) 90° .




Figure 7. Surface currents generated on the SBTA for each switch in the "ON" state: (a) Switch (i), (b) switch (ii), (c) switch (iii), and (d) switch (iv). At each specific "ON" state, all other unmentioned RF switches are in the 'OFF' state.

3.1. Practical Antenna Measurements

An outdoor practical antenna measurements setup is illustrated in Figure 8(a). The transmitter (T_X) is to be aligned towards the receiver (R_X) to ensure a proper establishment of the point-to-point communication. Therefore, a similar height for the horn and proposed antenna must be maintained for a good line of sight (LOS) as shown in Figure 8(b). The AUT measurement is carried out at five different angles, i.e., $+45^{\circ}$, $+15^{\circ}$, 0° , -15° and -45° . Each angle is tested from points 1 to 5 with a radial distance of 0.5 m distance as depicted in Figure 8(c).

The U2002A Agilent Power Sensor is deployed as the sensing device to verify the reception of incoming signals transmitted from a commercial horn antenna. The receiving antenna under test (AUT) is connected this power sensor and monitored by a sensor software depicted in Figure 9(a). Transmit signals are fed from a signal generator to the transmitting horn as shown in Figure 9(b), and a sample received power displayed on the analysis software is shown in Figure 9(c).




Figure 8. The outdoor practical measurement: (a) Schematic setup, (b) measurement setup, (c) R_x measurement angles.




Figure 9. Power measurement setup: (a) At the R_X side, (b) at the T_X side, (c) screenshot of the power analysis software panel.




Figure 10. Received power of proposed SBTA at various distances.




Figure 11. Received power at various AUT angles from the T_X for each "ON" switch state: (a) Switch (i), (b) switch (ii), (c) switch (iii), and (d) switch (iv). At each specific "ON" state, all other unmentioned RF switches are in the 'OFF' state.

The Ground Reflection (Two-Ray) propagation model in [30] is modified by considering additional ground effects to predict the path loss attenuations, as depicted in (1). The floor coefficients for the specified buildings is defined as $T_{\rm floor} = 13\,{\rm dB}$ [31].

$$P_L = 40 \log d - (10 \log G_t + 10 \log G_r + 20 \log h_t + 20 \log h_r + T_{\text{floor}}) \quad (1)$$

Theoretically, the received signal strength over a large distance from the transmitter can be projected from Equation (2) once the path losses have been determined using Equation (1). In this research, the value of the P_t , G_t , G_r and d are available. The P_t is set to 0 dBm while G_t is 8 dB. The value of G_r is dependent on the degree of steering beam which is (0.9 dBi, 0.8 dBi, 1.1 dBi and 0.8 dBi). Based on Equation (2), the P_r is inversely proportional to the d value. Therefore, the signal




Figure 12. Return losses of the SBTA: (a) Simulated result, (b) measurement result, (c) on-body result, (d) on-body S_{11} measurement setup.

strength reduces when travelling farther.

$$P_R = P_T + G_T + G_R - P_L \tag{2}$$

where:

 P_R = received power (W)

 $P_T = \text{transmitted power (W)}$

 $G_T = \text{gain of the transmitting antenna (dBm)}$

 $G_R = \text{gain of the receiving antenna (dBm)}$

 $P_L = \text{path loss}$

Received power measurements are measured at various distances, i.e., $0.5 \,\mathrm{m}$ and $2.5 \,\mathrm{m}$ away from the T_{X} , as shown in Figure 10. Different RF switch configurations show similar patterns plot. Conforming to conventional theory, increasing the AUT distance from the T_{X} results in a decrease of received power received due to polarization.

The received power measurements are performed at frequencies of 2.45 GHz with switchable beam. The AUT are placed at particular angles of $+45^{\circ}$, $+15^{\circ}$, 0° , -15° and -45° from the T_X . AUT located at 0° enables the best LOS whereas other angles are at non-line-of-sight (NLOS) positions. As depicted in Figures 11(a) to (d), the descending lines indicate a decreasing received power for all RF switch configurations. Meanwhile, the optimum received power of $-31.8\,\mathrm{dBm}$ is achieved with the best LOS (AUT at 0° face T_X) than other

Table 1. SBTA performance for different RF switch configurations.

Parameter	RF Switch Status			
	i	ii	iii	iv
	On	Off	Off	Off
	Off	On	Off	Off
	Off	Off	On	Off
	Off	Off	Off	On
Simulated Directivity (dBi)	6.5	6.2	6.8	6.7
Simulated Degree of Directivity	180°	270°	10°	90°
Measured Directivity (dBi)	6.4	6.15	6.69	6.45
Measured Degree Directivity	170°	270°	15°	80°
S_{11} Simulated (dB) at 2.45 GHz	-12.24	-12.26	-12.26	-12.26
S_{11} Measured (dB) at 2.45 GHz	-9.5	-11.8	-9.8	-8
Measured Gain (dBi)	0.9	0.8	1.1	0.8

NLOS angles. On the other hand, a comparison among the NLOS measurements indicate that the power received at $\pm 15^{\circ}$ and $\pm 45^{\circ}$ functions properly. Ideally, placement of AUT in good LOS records better received power from U2002A Agilent Power sensor.

The simulated and measured return losses (S_{11}) are shown in Figure 12, which indicate a satisfactory agreement in the 2.45 GHz band. The acceptable return loss in wireless communication is $-6 \,\mathrm{dB}$, which corresponds to a maximum reflection of 30%. Simulations and measurements are also summarized in Table 1.

4. CONCLUSION

A novel textile antenna design with beam steering capabilities, the SBTA, is proposed for WBAN applications. Four RF switches are integrated in a symmetrical design. The SBTA is able to achieve beam steering in four directions: 0° , 90° , 180° and 270° , with peak simulated and measured directivities of 6.8 dBi and 6.69 dBi, respectively. The antenna maintains an input impedance around $50\,\Omega$ at $2.45\,\mathrm{GHz}$. It has an area of $88\times88\,\mathrm{mm}^2$, which means that it is compact enough to be integrated in clothing for WBAN applications.

REFERENCES

- 1. Dey, S., N. Saha, and A. Alomainy, "Design performance analysis of narrow band textile antenna for three different substrate permittivity materials and bending consequence," *IEEE Loughborough Antennas and Propagation Conference*, Loughborough, UK, Nov. 14–15, 2011.
- 2. Michalopoulou, A., A. A. Alexandridis, K. Peppas, T. Zervos, F. Lazarakis, K. Dangakis, and D. I. Kaklamani, "Statistical analysis for on-body spatial diversity communication at 2.45 GHz," *IEEE Transactions on Antennas and Propagation*, Vol. 60, No. 8, 4014–4019, Aug. 2012.
- 3. Alves, T., B. Poussot and J.-M. Laheurte, "PIFA-top-loaded-monopole antenna with diversity features for WBAN application," *IEEE Antennas and Propagation Letters*, Vol. 10, 693–696, 2011.
- 4. Osman, M. A. R., M. K. A. Rahim, N. A. Samsuri, H. A. M. Salim, and M. F. Ali, "Embroidered fully textile wearable antenna for medical monitoring applications," *Progress In Electromagnetics Research*, Vol. 117, 321–337, 2011.
- 5. Osman, M. A. R., M. K. A. Rahim, M. Azfar, N. A. Samsuri, F. Zubir, and K. Kamardin, "Design, implementation and

- performance of ultra-wideband textile antenna," *Progress In Electromagnetics Research B*, Vol. 27, 307–325, 2011.
- 6. Yuehui, O. and W. J. Chappell, "High frequency properties of electro-textiles for wearable antenna applications," *IEEE Transactions on Antennas and Propagation*, Vol. 56, No. 2, 381–389, 2008.
- 7. Klemm, M. and G. Troster, "Textile UWB antenna for on-body communications," *The European Conference Antennas and Propagation*, 2006.
- 8. Rais, N. H. M., P. J. Soh, S. Ahmad, N. B. M. Hashim, and P. S. Hall, "A review of wearable antenna," *IEEE Loughborough Antennas and Propagation Conference*, Loughborough, UK, Nov. 16–17, 2009.
- 9. Soh, P. J., B. Van den Bergh, H. Xu, H. Aliakbarian, S. Farsi, P. Samal, G. A. E. Vandenbosch, D. Schreurs, and B. Nauwelaers, "A smart wearable textile array system for biomedical telemetry applications," *IEEE Transactions on Microwave Theory and Techniques*, 1–9, 2013.
- 10. Soh, P. J., G. A. E. Vandenbosch, S. L. Ooi, and M. R. N. Husna, "Wearable dual-band Sierpinski fractal PIFA using conductive fabric," *Electronics Letters*, Vol. 47, 365–367, 2011.
- 11. Santas, J. G., A. Alomainy, and H. Yang, "Textile antennas for onbody communications: Techniques and properties," *The European Conference Antennas and Propagation*, 2007.
- 12. Kang, W., K. H. Ko, and K. Kim, "A compact beam reconfigurable antenna for symmetric beam switching," *Progress In Electromagnetic Research*, Vol. 129, 1–16, 2012.
- 13. Monti, G., L. Corchia, and L. Tarricone, "A microstrip antenna with a reconfigurable pattern for RFID applications," *Progress In Electromagnetics Research B*, Vol. 45, 101–116, 2012.
- 14. Vu, T. M., G. Prigent, J. Ruan, and R. Plana, "Design and fabrication of RF-MEMS switch for V-band reconfigurable application," *Progress In Electromagnetics Research B*, Vol. 39, 301–318, 2012.
- 15. Al-Husseini, M., L. Safatly, A. Ramadan, A. El-Hajj, K. Y. Kabalan, and C. G. Christodoulou, "Reconfigurable filter antennas for pulse adaptation in UWB cognitive radio systems," *Progress In Electromagnetics Research B*, Vol. 37, 327–342, 2012.
- 16. Martinez-Lopez, R., J. Rodriguez-Cuevas, A. E. Martynyuk, and J. I. Martinez-Lopez, "An active ring slot with RF MEMS switchable radial stubs for reconfigurable frequency selective

- surface applications," *Progress In Electromagnetics Research*, Vol. 128, 419–440, 2012.
- 17. Saed, M. A., "Reconfigurable broadband microstrip antenna fed by a coplanar waveguide," *Progress In Electromagnetics Research*, Vol. 55, 227–239, 2005.
- 18. Kamarudin, M. R. B., P. S. Hall, F. Colombel, and M. Himdi, "Electronically switched beam disk-loaded monopole array antenna," *Progress In Electromagnetics Research*, Vol. 101, 339–347, 2010.
- 19. Jusoh, M., M. F. Jamlos, M. R. Kamarudin, F. Malek, M. A. Romli, Z. A. Ahmad, M. H. Mat, and M. S. Zulkiflie, "A reconfigurable ultra-wideband (UWB) compact tree-design antenna system," *Progress In Electromagnetics and Research C*, Vol. 30, 131–145, 2012.
- 20. Jusoh, M., M. F. Jamlos, M. F. Malek, M. R. Kamarudin, and M. S. Mustafa, "A switchable ultra-wideband (UWB) to tri-band antenna design," *IEEE Loughborough Antennas and Propagation Conference*, Loughborough, UK, Nov. 14–15, 2011.
- Jamlos, M. F., T. A. Rahman, M. R. Kamarudin, P. Saad, O. A. Aziz, and M. A. Shamsudin, "Adaptive beam steering of RLSA antenna with RFID technology," *Progress In Electromagnetics Research*, Vol. 108, 65–80, 2010.
- Jamlos, M. F., O. A. Aziz, T. A. Rahman, M. R. Kamarudin, P. Saad, M. T. Ali, and M. N. Md Tan, "A reconfigurable radial line slot array (RLSA) antenna for beam shape and broadside application," *Journal of Electromagnetic Waves and Applications*, Vol. 24, Nos. 8–9, 1171–1182, 2010.
- 23. Li, X. and M. Yin, "Design of a reconfigurable antenna array with discrete phase shifters using differential evolution algorithm," *Progress In Electromagnetics Research B*, Vol. 31, 29–43, 2011.
- 24. Jamlos, M. F., T. A. Rahman, M. R. Kamarudin, M. A. Jamlos, M. A. Romli, Z. A. Ahmad, M. F. Malek, M. Jusoh, N. F. Kahar, and S. K. A. Rahim, "A novel green antenna phase-shift system with data acquisition system," *Progress In Electromagnetics Research B*, Vol. 41, 137–152, 2012.
- 25. Ali, M. T., T. A. Rahman, M. R. Kamarudin, and M. N. Md Tan, "A planar antenna array with separated feed line for higher gain and sidelobe reduction," *Progress In Electromagnetics Research C*, Vol. 8, 69–82, 2009.
- Soh, P. J., S. J. Boyes, G. A. E. Vandenbosch, Y. Huang, and S. L. Ooi, "On body characterization of dual-band all-textile PIFAs," Progress In Electromagnetic Research, Vol. 129, 517–539,

- Jul. 2012.
- 27. Soh, P. J., G. A. E. Vandenbosch, V. Volski, and M. R. N. Husna, "Characterization of a broadband textile planar inverted-F antenna (PIFA) for on body communications," *International Conference on Applied Electromagnetics and Communications*, 1–4, Dubrovnik, Croatia, Sept. 20–23, 2010.
- 28. Soh, P. J., G. A. E. Vandenbosch, S. L. Ooi, and H. M. R. Nurul, "Design of a broadband all-textile slotted PIFA," *IEEE Transactions on Antennas and Propagation*, Vol. 60, No. 1, 379–384, Jan. 2012.
- 29. Mantash, M., A.-C. Tarot S. Collardey, and K. Mahdjoubi, "Investigation of flexible textile antennas and AMC reflectors," *Hindawi Publishing Corporation International Journal of Antennas and Propagation*, Vol. 2012, 1–10, 2012.
- 30. Rappaport, T. S., Wireless Communications: Principles and Practice, Prentice Hall, Dec. 2001.
- 31. Yarkony, N. and N. Blaunstein, "Prediction of propagation characteristics in indoor radio communication environments," *Progress In Electromagnetics Research*, Vol. 59, 151–174, 2006.