
**ELECTROMAGNETIC
WAVES** **PIER 76**

Progress

In

Electromagnetics

Research

© 2007 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

**ELECTROMAGNETIC
WAVES** **PIER 76**

Progress

In

Electromagnetics

Research

Chief Editor: J. A. Kong

EMW Publishing

Cambridge, Massachusetts, USA

CONTENTS

SURFACE MODES AT THE INTERFACES BETWEEN ISOTROPIC MEDIA AND UNIAXIAL PLASMA*H. Huang, Y. Fan, B. Wu, F. Kong, and J. A. Kong*

| | | |
|---|--|----|
| 1 | Introduction | 2 |
| 2 | Surface Mode Dispersion Laws | 3 |
| 3 | Conditions for Existence of TM Surface Modes | 6 |
| 4 | Poynting Vector and Energy | 10 |
| 5 | Conclusion | 12 |

A THEORETICAL STUDY OF ELECTROMAGNETIC TRANSIENTS IN A LARGE CONDUCTING PLATE DUE TO CURRENT IMPACT EXCITATION*S. K. Mukerji, G. K. Singh, S. K. Goel, and S. Manuja*

| | | |
|----|--|----|
| 1 | Introduction | 16 |
| 2 | Field Equations | 16 |
| 3 | Initial Distribution of Electromagnetic Fields | 18 |
| 4 | Approximate Distribution of Transient Fields | 18 |
| 5 | Exact Distribution of Transient Fields | 19 |
| 6 | Power Dissipation | 22 |
| 7 | Energy Dissipation | 23 |
| 8 | Power Radiation | 24 |
| 9 | Radiated Energy | 25 |
| 10 | Conclusion | 26 |

ANALYSIS OF RADIATION PATTERNS OF COMPOUND BOX-HORN ANTENNA*R. C. Gupta and S. P. Singh*

| | | |
|---|--|----|
| 1 | Introduction | 32 |
| 2 | Analysis of Radiation Pattern of Compound Box-Horn Antenna | 33 |
| 3 | Design of Compound Box-Horn Antenna | 36 |
| 4 | Validation of the Analysis | 37 |
| 5 | Numerical Results and Discussion | 38 |
| 6 | Conclusion | 41 |

AN ENHANCED METHOD FOR INVERSE SCATTERING PROBLEMS USING FOURIER SERIES EXPANSION IN CONJUNCTION WITH FDTD AND PSO

A. Semnani and M. Kamyab

| | | |
|---|--|----|
| 1 | Introduction | 45 |
| 2 | Cosine Fourier Series Expansion Method | 48 |
| 3 | Mathematical Considerations | 50 |
| 4 | Simulation Results | 52 |
| 5 | Sensitivity Considerations | 58 |
| 6 | Conclusion | 62 |

RAIN ATTENUATION PREDICTIONS AT KU-BAND IN SOUTH EAST ASIA COUNTRIES

J. S. Mandeep and J. E. Allnutt

| | | |
|---|--|----|
| 1 | Introduction | 65 |
| 2 | Methodology | 67 |
| 3 | Results and Discussion | 68 |
| 4 | Comparisons of Prediction Models | 69 |
| 5 | Conclusion | 72 |

ELECTROMAGNETIC SCATTERING APPROXIMATIONS REVISITED

L.-J. Gelius

| | | |
|---|--|----|
| 1 | Introduction | 75 |
| 2 | Basic Equations and Problem Definition | 76 |
| 3 | Non-iterative Solutions | 78 |
| 4 | Iterative Solutions | 88 |
| 5 | Concluding Remarks | 92 |

FORWARD RADAR PROPAGATION OVER OIL SLICKS ON SEA SURFACES USING THE AMENT MODEL WITH SHADOWING EFFECT

N. Pinel, C. Bourlier, and J. Saillard

| | | |
|---|---|-----|
| 1 | Introduction | 95 |
| 2 | Ament Model for a Single Rough Interface | 96 |
| 3 | Transmission through a Rough Interface: Rayleigh Parameter and Shadowing Effect | 101 |

| | | |
|---|--|-----|
| 4 | Ament Model Extended to a Rough Layer with Shadowing Effect | 111 |
| 5 | Application to forward Radar Propagation over Oil Slicks on Sea Surfaces | 116 |
| 6 | Conclusion | 124 |

A DESIGNED MODEL ABOUT AMPLIFICATION AND COMPRESSION OF PICOSECOND PULSE USING CASCADED SOA AND NOLM DEVICE

J.-W. Wu, D.-X. Tian, and H.-B. Bao

| | | |
|---|-------------------------------|-----|
| 1 | Introduction | 128 |
| 2 | Designed Model & Theory | 129 |
| 3 | Results & Discussions | 132 |
| 4 | Conclusion | 136 |

INTEGRAL PML ABSORBING BOUNDARY CONDITIONS FOR THE HIGH-ORDER M24 FDTD ALGORITHM

A. M. Shreim and M. F. Hadi

| | | |
|---|--|-----|
| 1 | Introduction | 141 |
| 2 | Integral Equivalence of the PML Split-field Differential Equations | 142 |
| 3 | Extending the M24 Formulation into the PML Regions | 144 |
| 4 | Optimum M24-PML Design Parameters | 147 |
| 5 | Conclusion | 150 |

HIGH FREQUENCY EXPRESSIONS FOR THE FIELD IN THE CAUSTIC REGION OF A CYLINDRICAL REFLECTOR PLACED IN CHIRAL MEDIUM

M. Faryad and Q. A. Naqvi

| | | |
|---|---|-----|
| 1 | Introduction | 153 |
| 2 | Geometrical Optics and Maslov's Method in Ordinary Medium | 154 |
| 3 | Geometrical Optics in Chiral Medium | 156 |
| 4 | Geometric Optics Field of a Cylindrical Reflector Placed in Chiral Medium | 157 |
| 5 | Results and Discussion | 171 |
| 6 | Conclusions | 180 |

ABMR ICE THICKNESS MODEL AND ITS APPLICATION TO BOHAI SEA IN CHINA

Y. Ji, J. Zhang, J. Meng, and Y. Zhang

1 Introduction 183
 2 Sea Ice Thickness Inversion Model 184
 3 Measuring Range of Sea-ice Thickness in ABMR 186
 4 ABMR in Bohai Sea Ice Thickness Detection 190
 5 Summary and Conclusions 192

EQUATORIAL RAINFALL MEASUREMENT ON KU-BAND SATELLITE COMMUNICATION DOWNLINK

J. S. Mandeep

1 Introduction 195
 2 Measurement Setup 196
 3 Results and Discussion 196
 4 Conclusion 199

2.5 GHZ BATIO₃ DIELECTRIC RESONATOR ANTENNA

M. F. Ain, S. I. S. Hassan, J. S. Mandeep, M. A. Othman

B. M. Nawang, S. Sreekantan, S. D. Hutagalung, and Z. A. Ahmad

1 Introduction 201
 2 Antenna Configuration 202
 3 Results and Discussion 202
 4 Conclusions 209

A SYNTHETIC DESIGN OF ELIMINATING CROSSTALK WITHIN MTLs

Chen H. and Zhang Y. X.

1 Introduction 211
 2 Predicting the Crosstalk 212
 3 Eliminating the Crosstalk 215
 4 Conclusion 219

MICROSTRIP BANDPASS FILTER AT S BAND USING CAPACITIVE COUPLED RESONATOR

S. Prabhu, J. S. Mandeep, and S. Jovanovic

1 Introduction 223
 2 Concept 224

| | | |
|---|--------------------------|-----|
| 3 | Design and Results | 225 |
| 4 | Conclusions | 227 |

A WIDEBAND MONOPOLE WITH G TYPE STRUCTURE

H.-T. Zhang, Y.-Z. Yin, and X. Yang

| | | |
|---|---------------------------|-----|
| 1 | Introduction | 229 |
| 2 | Antenna Structure | 230 |
| 3 | Design and Analysis | 231 |
| 4 | Conclusion | 235 |

A BROADBAND CPW-FED T-SHAPE SLOT ANTENNA

J.-J. Jiao, G. Zhao, F.-S. Zhang, H.-W. Yuan, and Y.-C. Jiao

| | | |
|---|--------------------------|-----|
| 1 | Introduction | 237 |
| 2 | Antenna Design | 238 |
| 3 | Experiment Results | 239 |
| 4 | Conclusion | 242 |

A NOVEL COMPACT PLANAR SIX-WAY POWER DIVIDER USING FOLDED AND HYBRID-EXPANDED COUPLED LINES

Chen H. and Zhang Y. X.

| | | |
|---|--|-----|
| 1 | Introduction | 243 |
| 2 | Analysis and Design of the Six-way Power Divider | 245 |
| 3 | Results and Discussion | 248 |
| 4 | Conclusion | 251 |

BISTATIC SCATTERING FROM ROUGH DIELECTRIC SOIL SURFACE WITH A CONDUCTING OBJECT WITH ARBITRARY CLOSED CONTOUR PARTIALLY BURIED BY USING THE FBM/SAA METHOD

Z.-X. Li

| | | |
|---|-------------------------------------|-----|
| 1 | Introduction | 253 |
| 2 | Methodology | 256 |
| 3 | Numerical Results and Discuss | 263 |
| 4 | Conclusion | 270 |

**FDTD/TDPO HYBRID APPROACH FOR ANALYSIS OF
THE EM SCATTERING OF COMBINATIVE OBJECTS**

L.-X. Yang, D.-B. Ge, and B. Wei

| | | |
|---|--|-----|
| 1 | Introduction | 275 |
| 2 | Principle of the Hybrid Approach | 276 |
| 3 | Numerical Results | 281 |
| 4 | Conclusion | 283 |

**COMPUTATIONAL MODELING ANALYSIS OF RADAR
SCATTERING BY CLOTHING COVERED ARRAYS OF
METALLIC BODY-WORN EXPLOSIVE DEVICES**

A. Angell and C. Rappaport

| | | |
|---|---|-----|
| 1 | Introduction | 285 |
| 2 | The FDFD Computational Method | 286 |
| 3 | Radar Illumination | 290 |
| 4 | Computational Nearfield Scattering | 291 |
| 5 | Farfield Patterns of Body-worn IEDS | 293 |
| 6 | Nonuniform Cylinder Spacing | 296 |
| 7 | Conclusion | 297 |

**COMPLEX ANALYSIS OF THE INDUCED CURRENTS
ON A PERFECTLY CONDUCTING PLANE UNDER
COMPLEX BEAM INCIDENCE**

IM. J. González-Morales, E. Gago-Ribas, and C. Dehesa-Martínez

| | | |
|---|---|-----|
| 1 | Introduction | 300 |
| 2 | Incident Field | 301 |
| 3 | Induced Current Density | 303 |
| 4 | Real and Complex Spaces | 306 |
| 5 | Analysis of the Currents | 309 |
| 6 | Conclusions | 318 |
| | Appendix A. Complex Parameterizations | 319 |
| | Appendix B. List of Acronyms | 324 |

**RADIATION PATTERNS SYNTHESIS FOR A
CONFORMAL DIPOLE ANTENNA ARRAY**

Q.-Q. He and B.-Z. Wang

| | | |
|---|------------------------|-----|
| 1 | Introduction | 327 |
| 2 | Formulation | 329 |

| | | |
|---|------------------------------------|-----|
| 3 | Radiation Patterns Synthesis | 334 |
| 4 | Conclusions | 337 |

**MULTI-FEED DIELECTRIC RESONATOR ANTENNA
WITH RECONFIGURABLE RADIATION PATTERN**

H. Fayad and P. Record

| | | |
|---|---|-----|
| 1 | Introduction | 341 |
| 2 | Antenna Construction | 342 |
| 3 | Simulation Versus Experiment | 344 |
| 4 | Switching Between Individual Excited Probes..... | 345 |
| 5 | Beam Forming by Controlling the Phase of the Excited Probes..... | 346 |
| 6 | Discussion | 349 |
| 7 | Conclusion | 354 |

**ANALYSIS OF ELECTROMAGNETICS SCATTERING
FROM REFLECTOR AND CYLINDRICAL ANTENNAS
USING WAVELET-BASED MOMENT METHOD**

M. Lashab, F. Benabdelaziz, and C. Zebiri

| | | |
|---|-------------------------|-----|
| 1 | Introduction | 357 |
| 2 | Formulation | 358 |
| 3 | Numerical Results | 362 |
| 4 | Conclusion | 367 |

**DESIGN OF A KU BAND SIX BIT PHASE SHIFTER
USING PERIODICALLY LOADED-LINE AND
SWITCHED-LINE WITH LOADED-LINE**

Z. G. Wang, B. Yan, R. M. Xu, and Y. C. Guo

| | | |
|---|--|-----|
| 1 | Introduction | 369 |
| 2 | Circuits Design | 370 |
| 3 | Ku-band Six-bit Phase Shifter and Experimental Results.... | 375 |
| 4 | Conclusion | 377 |

**BISTATIC SCATTERING FROM THREE-
DIMENSIONAL CONDUCTING ROUGH SURFACE
WITH UV MULTILEVEL PARTITIONING METHOD**

Z.-X. Li

| | | |
|---|--------------------|-----|
| 1 | Introduction | 381 |
| 2 | Methodology | 382 |

3 Numerical Results and Discuss 388
 4 Conclusion 394

USING PHOTON WAVE FUNCTION FOR THE TIME-DOMAIN ANALYSIS OF ELECTROMAGNETIC WAVE SCATTERING

B. Khadem-Hosseinih, Y. Komijani, R. Faraji-Dana and M. Shahabadi

1 Introduction 397
 2 Deriving Photon Wave Function in Homogeneous Media 399
 3 Some Basic Theorems 401
 4 Inhomogeneous Media 402
 5 Effective Charge and Current Density 404
 6 A New FDTD Algorithm Based on the Notion of Photon Wave Function 405
 7 Conclusion 409
 Appendix A. 409
 Appendix B. 411

IMPROVEMENT OF TRANSMISSION PROPERTIES OF MULTIMODE FIBERS USING SPREAD SPECTRUM TECHNIQUE AND A RAKE RECEIVER APPROACH

I. Kamitsos and N. K. Uzunoglu

1 Introduction 413
 2 The Rake Receiver and the Spread Spectrum Technique 414
 3 Problem Formulation 416
 4 Optimization Algorithm 418
 5 Numerical Results and Discussion 418
 6 Conclusion 423

EFFECT OF MUTUAL COUPLING AND CONFIGURATION OF CONCENTRIC CIRCULAR ARRAY ANTENNA ON THE SIGNAL-TO-INTERFERENCE PERFORMANCE IN CDMA SYSTEMS

R. Fallahi and M. Roshandel

1 Introduction 427
 2 Circular Patch Antenna Design for Wireless Communications 429
 3 Theory 429

| | | |
|---|------------------|-----|
| 4 | Results | 436 |
| 5 | Conclusion | 445 |

**PROPAGATION PROPERTIES OF THE SPP MODES IN
NANOSCALE NARROW METALLIC GAP, CHANNEL,
AND HOLE GEOMETRIES**

F. M. Kong, K. Li, B.-I. Wu, H. Huang, H. S. Chen, and J. A. Kong

| | | |
|---|------------------------------|-----|
| 1 | Introduction | 450 |
| 2 | Analysis Methodology | 452 |
| 3 | Results and Discussion | 455 |
| 4 | Conclusion | 463 |

**ELECTROMAGNETIC WAVE PROPAGATION
THROUGH A SLAB WAVEGUIDE OF UNIAXIALLY
ANISOTROPIC DISPERSIVE METAMATERIAL**

S.-H. Liu, C.-H. Liang, W. Ding, L. Chen, and W.-T. Pan

| | | |
|---|---|-----|
| 1 | Introduction | 467 |
| 2 | Derivation of the Guidance Conditions | 468 |
| 3 | Results and Discussion | 470 |
| 4 | Conclusion | 473 |

**TRIPLE-BAND OMNI-DIRECTIONAL ANTENNA FOR
WLAN APPLICATION**

Y.-J. Wu, B.-H. Sun, J.-F. Li, and Q.-Z. Liu

| | | |
|---|--|-----|
| 1 | Introduction | 477 |
| 2 | Antenna Design | 478 |
| 3 | Simulated and Experimental Results | 478 |
| 4 | Conclusion | 482 |

**AN ENHANCED FDTD MODEL FOR COMPLEX
LUMPED CIRCUITS**

S. Q. Xiao, B.-Z. Wang, P. Du, and Z. H. Shao

| | | |
|---|---|-----|
| 1 | Introduction | 485 |
| 2 | The Basic Theory of the Enhanced FDTD Model | 486 |
| 3 | The Application of the Enhanced FDTD Model | 490 |
| 4 | Conclusion | 493 |