

---

**ELECTROMAGNETIC  
WAVES** **PIER 81**

---

**Progress**

**In**

**Electromagnetics**

**Research**

© 2008 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

---

**ELECTROMAGNETIC  
WAVES** **PIER 81**

---

**Progress**

**In**

**Electromagnetics**

**Research**

**Chief Editor: J. A. Kong**

EMW Publishing

Cambridge, Massachusetts, USA



## CONTENTS

**FROM CPU TO GPU: GPU-BASED  
ELECTROMAGNETIC COMPUTING (GPUECO)***Y. B. Tao, H. Lin, and H. J. Bao*

1	Introduction . . . . .	1
2	Programmable Pipeline of Graphics Hardware . . . . .	2
3	GPUECO . . . . .	4
4	Numerical Results . . . . .	13
5	Conclusion . . . . .	16

**VECTOR FINITE ELEMENT ANALYSIS OF  
MULTICOMPONENT INDUCTION RESPONSE IN  
ANISOTROPIC FORMATIONS***X. Y. Sun and Z. P. Nie*

1	Introduction . . . . .	21
2	Theories . . . . .	23
3	Numerical Results . . . . .	29
4	Conclusion . . . . .	36

**A NOVEL METHOD FOR TESTING ULTRA WIDEBAND  
ANTENNA-FEEDS ON RADIO TELESCOPE DISH  
ANTENNAS***S. Joardar and A. B. Bhattacharya*

1	Introduction . . . . .	41
2	Setup and GMRT System Response applied for Testing the Ultra Wideband Antenna-feed . . . . .	43
3	Radio Astronomical Measurements of Cygnus A and Sky . . . . .	44
4	Approximate Estimation of Antenna Aperture Efficiency on an Existing GMRT Dish . . . . .	48
5	Detailed Performance Estimation of Ultra Wideband Antenna-feed on an Existing GMRT Dish . . . . .	51
6	Detailed Performance Estimation of Ultra Wideband-feed on a Smooth Surface GMRT Dish . . . . .	54
7	Results of Analysis . . . . .	55
8	Summary and Conclusions . . . . .	56

**CHARACTERIZATION OF THE SUSCEPTIBILITY OF INTEGRATED CIRCUITS WITH INDUCTION CAUSED BY HIGH POWER MICROWAVES**

*S. M. Hwang, J. I. Hong, and C. S. Huh*

1	Introduction . . . . .	61
2	Experimental . . . . .	62
3	Results and Discussion . . . . .	64
4	Conclusion . . . . .	70

**TRUNCATED COSINE FOURIER SERIES EXPANSION METHOD FOR SOLVING 2-D INVERSE SCATTERING PROBLEMS**

*A. Semnani and M. Kamyab*

1	Introduction . . . . .	73
2	Truncated Cosine Fourier Series Expansion Method for 2-D Problems . . . . .	77
3	Simulation Results . . . . .	85
4	Sensitivity Considerations . . . . .	91
5	Conclusion . . . . .	94

**A MOMENT METHOD SIMULATION OF ELECTROMAGNETIC SCATTERING FROM CONDUCTING BODIES**

*S. Hatamzadeh-Varmazyar, M. Naser-Moghadasi, and Z. Masouri*

1	Introduction . . . . .	99
2	Electric and Magnetic Field Integral Equations . . . . .	100
3	Block-pulse Functions . . . . .	102
4	Implementing the Method of Moments Using Block-Pulse Basis Functions . . . . .	105
5	Electromagnetic Scattering from Conducting Bodies . . . . .	105
6	Conclusion . . . . .	115

**RADAR TARGET RECOGNITION BY PROJECTED FEATURES OF FREQUENCY-DIVERSITY RCS**

*K. Lee, C. Huang, and M. Fang*

1	Introduction . . . . .	121
2	Formulation . . . . .	122
3	Numerical Simulation . . . . .	126
4	Conclusion . . . . .	131

**HIGH-FREQUENCY EXPRESSION FOR THE FIELD IN  
THE CAUSTIC REGION OF A PEMC GREGORIAN  
SYSTEM USING MASLOV'S METHOD**

*M. A. Fiaz, A. Aziz, A. Ghaffar, and Q. A. Naqvi*

1	Introduction . . . . .	135
2	Receiving Characteristic of Cylindrical Gregorian Reflector . .	136
3	Result and Discussion . . . . .	139

**STENCIL COEFFICIENT COMPUTATIONS FOR THE  
MULTIRESOLUTION TIME DOMAIN METHOD  
— A FILTERBANK APPROACH**

*S. M. Vaitheeswaran and S. V. Narasimhan*

1	Introduction . . . . .	149
2	The MRTD Algorithm . . . . .	152
3	The MRTD Scheme Using the Filterbank Approach . . . . .	155
4	Validations . . . . .	160
5	Conclusions . . . . .	162

**A HYBRID MULTIMODE CONTOUR INTEGRAL  
METHOD FOR ANALYSIS OF THE *H*-PLANE  
WAVEGUIDE DISCONTINUITIES**

*A. Banai and A. Hashemi*

1	Introduction . . . . .	167
2	Basis of Contour Integral Method . . . . .	169
3	Our Purposed Hybrid Method . . . . .	175
4	Simulation Results . . . . .	176
5	Conclusion . . . . .	179

**A NEW 2–18 GHz QUAD-RIDGED HORN ANTENNA**

*R. Dehdasht-Heydari, H. R. Hassani, and A. R. Mallahzadeh*

1	Introduction . . . . .	183
2	Quad-Ridged Horn Antenna . . . . .	185
3	Modified Design of 2–18 GHz Quad-Ridged Horn Antenna . . .	188
4	Result and Discussion . . . . .	190
5	Conclusion . . . . .	193

**NUMERICAL SIMULATION OF THE PROPAGATION  
OF EM PULSE THROUGH LOSSLESS NON-UNIFORM  
DIELECTRIC SLAB USING CHARACTERISTIC-BASED  
METHOD**

*M. Ho, F.-S. Lai, S.-W. Tan, P.-W. Chen*

1	Introduction . . . . .	197
2	Governing Equations and Model of Dielectric Slab . . . . .	199
3	Cases Studied . . . . .	202
4	Results . . . . .	203
5	Conclusion . . . . .	210

**IMPROVED CHANNEL ESTIMATION AND  
MAI-ROBUST SCHEMES FOR WIRELESS OFDMA  
SYSTEM**

*Y.-D. Lee, D.-H. Park, and H.-K. Song*

1	Introduction . . . . .	213
2	System Model . . . . .	214
3	Improving Channel Estimation Using E-CAZAC . . . . .	218
4	Conclusions . . . . .	221

**DESIGN OF PHOTONIC BAND GAP FILTER**

*R. Srivastava, K. B. Thapa, S. Pati, and S. P. Ojha*

1	Introduction . . . . .	225
2	Theory . . . . .	226
3	Result and Discussion . . . . .	229

**ANALYSIS OF WAVE FUNCTION, ENERGY AND  
TRANSMISSION COEFFICIENTS IN GAN/ALGAN  
SUPERLATTICE NANOSTRUCTURES**

*K. Talele and D. S. Patil*

1	Introduction . . . . .	237
2	Theoretical Analysis . . . . .	239
3	Results and Discussion . . . . .	243
4	Conclusions . . . . .	249



**FDTD STUDY ON WAVE PROPAGATION IN LAYERED  
STRUCTURES WITH BIAXIAL ANISOTROPIC  
METAMATERIALS**

*M. Y. Wang, J. Xu, J. Wu, B. Wei, H. L. Li, T. Xu, and D. B. Ge*

1	Introduction . . . . .	253
2	Biaxial AMM and Excitation of Guided Waves . . . . .	255
3	Shift Operator Method in 2D-FDTD Simulator . . . . .	256
4	Numerical Results and Discussions . . . . .	258
5	Conclusions . . . . .	262

**TRANSITION BEHAVIOR OF k-SURFACE: FROM  
HYPERBOLA TO ELLIPSE**

*S. Qiao, G. Zheng, H. Zhang, and L. Ran*

1	Introduction . . . . .	267
2	The Transition the k-surface . . . . .	268
3	High Directive Transmission Property of the Indefinite Slab . . . . .	270
4	Conclusion . . . . .	274

**INDOOR ACCURATE RCS MEASUREMENT  
TECHNIQUE ON UHF BAND**

*C. F. Hu, J. D. Xu, N. J. Li, and L. X. Zhang*

1	Introduction . . . . .	279
2	Measurement System . . . . .	280
3	Calibration Techniques . . . . .	283
4	Parameters and Steps of Measurement . . . . .	285
5	Result of Experiment . . . . .	286
6	Conclusion . . . . .	287

**MULTILEVEL FAST MULTIPOLE ALGORITHM FOR  
RADIATION CHARACTERISTICS OF SHIPBORNE  
ANTENNAS ABOVE SEAWATER**

*X. W. Zhao, C. H. Liang, and L. Liang*

1	Introduction . . . . .	291
2	Theory . . . . .	292
3	Numerical Results and Discussion . . . . .	297
4	Conclusions . . . . .	299

**ADAPTIVELY ACCELERATED GMRES FAST FOURIER  
TRANSFORM METHOD FOR ELECTROMAGNETIC  
SCATTERING**

*Y. F. Xin and P. L. Rui*

1	Introduction . . . . .	303
2	The Volume Integral Equation . . . . .	305
3	Acceleration Techniques for GMRES . . . . .	306
4	Numerical Results and Discussions . . . . .	308
5	Conclusions . . . . .	312

**ROBUST ADAPTIVE BEAMFORMING FOR A CLASS  
OF GAUSSIAN STEERING VECTOR MISMATCH**

*Y. J. Gu, Z. G. Shi, K. S. Chen, and Y. Li*

1	Introduction . . . . .	315
2	Background . . . . .	316
3	Probability-Constrained Robust Minimum Variance Beamforming . . . . .	319
4	Performance Comparison . . . . .	323
5	Conclusion . . . . .	325

**KD-TREE BASED FAST RAY TRACING FOR RCS  
PREDICTION**

*Y. B. Tao, H. Lin, and H. J. Bao*

1	Introduction . . . . .	329
2	Ray Tracing Using the kd-Tree Acceleration Structure . . . . .	330
3	Numerical Results and Discussion . . . . .	336
4	Conclusion . . . . .	339

**INVESTIGATION OF ELECTROMAGNETIC COMPLEX  
SCATTERING FOR CONDUCTOR TARGET BASED ON  
ELECTROMAGNETIC IMAGES METHOD**

*Y.-L. Li, J.-Y. Huang, and M.-J. Wang*

1	Introduction . . . . .	344
2	Electromagnetic Interaction between two Conductor Sphere . . . . .	344
3	Conclusion . . . . .	355

**CHIP IMPEDANCE MATCHING FOR UHF RFID TAG ANTENNA DESIGN**

*C.-H. Loo, K. Elmahgoub, F. Yang, A. Elsherbeni, D. Kajfez  
A. Kishk, T. Elsherbeni, L. Ukkonen, L. Sydänheimo  
M. Kivikoski, S. Merilampi, and P. Ruuskanen*

1 Introduction . . . . . 359  
 2 RFID System Overview with Antenna Equations . . . . . 360  
 3 RFID Tag Antenna Impedance Matching . . . . . 364  
 4 Comparison of Simulation and Measurement . . . . . 366  
 5 Conclusion . . . . . 368

**ELECTROMAGNETIC FIELD OF A HORIZONTAL ELECTRIC DIPOLE IN THE PRESENCE OF A FOUR-LAYERED REGION**

*Y. H. Xu, K. Li, and L. Liu*

1 Introduction . . . . . 371  
 2 Electromagnetic Field excited by a Horizontal Electric Dipole  
 in the Presence of a Four-Layered Region . . . . . 372  
 3 Conclusions and Computations . . . . . 387

**NUMERICAL APPROACH TO SURVEY THE PROBLEM OF ELECTROMAGNETIC SCATTERING FROM RESISTIVE STRIPS BASED ON USING A SET OF ORTHOGONAL BASIS FUNCTIONS**

*S. Hatamzadeh-Varmazyar, M. Naser-Moghadasi, E. Babolian  
and Z. Masouri*

1 Introduction . . . . . 394  
 2 Block-Pulse Functions . . . . . 395  
 3 Collocation Method Using Block-Pulse Basis Functions . . . . . 397  
 4 Electromagnetic Scattering from Resistive Strips . . . . . 398  
 5 Discussion on the Results . . . . . 406  
 6 Conclusion . . . . . 408

**SPM NUMERICAL RESULTS FROM AN EFFECTIVE SURFACE IMPEDANCE FOR A ONE-DIMENSIONAL PERFECTLY-CONDUCTING ROUGH SEA SURFACE**

*Y. Brelet and C. Bourlier*

1 Introduction . . . . . 413  
 2 Mathematical Formulation of the Problem . . . . . 414

3 Numerical Results ..... 422  
 4 Concluding Remarks ..... 431  
 Appendix A. Evaluation of the Integral of the TM Effective  
 Surface Impedance  $Z_{v1}(\kappa)$  ..... 432

**DIRECTIVE EMISSION OBTAINED BY COORDINATE  
 TRANSFORMATION**

*J. J. Zhang, Y. Luo, S. Xi, H. S. Chen, L. X. Ran, B.-I. Wu  
 and J. A. Kong*

1 Introduction ..... 437  
 2 2D High Directive Antenna with Ideal Parameters ..... 438  
 3 2D High Directive Antenna with Reduced Parameters ..... 440  
 4 Ideal Parameters for 3D High Directive Antenna ..... 442

**APPLICATION OF SVD NOISE-REDUCTION  
 TECHNIQUE TO PCA BASED RADAR TARGET  
 RECOGNITION**

*K.-C. Lee, J.-S. Ou, and M.-C. Fang*

1 Introduction ..... 447  
 2 Formulations ..... 449  
 3 Numerical Simulation Results ..... 451  
 4 Conclusions ..... 457