

---

**ELECTROMAGNETIC  
WAVES**                      **PIER 130**

---

**Progress**

**In**

**Electromagnetics**

**Research**

© 2012 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

---

**ELECTROMAGNETIC  
WAVES** **PIER 130**

---

**Progress**

**In**

**Electromagnetics**

**Research**

**Chief Editor: Weng Cho Chew**

EMW Publishing

Cambridge, Massachusetts, USA



## CONTENTS

**DEVELOPMENT AND ANALYSIS OF FLEXIBLE UHF  
RFID ANTENNAS FOR “GREEN” ELECTRONICS***Y. Amin and H. Tenhunen*

1	Introduction . . . . .	1
2	Antenna Dimensions and Parametric Optimization . . . . .	3
3	Manufacturing Parametric Analysis . . . . .	5
4	Field & Circuit Concepts Parametric Analysis . . . . .	10
5	Conclusion . . . . .	13

**A NEW KIND OF NON-ACOUSTIC SPEECH ACQUI-  
SITION METHOD BASED ON MILLIMETER WAVE  
RADAR***S. Li, Y. Tian, G. Lu, Y. Zhang, H. Xue, J. Wang, and X. Jing*

1	Introduction . . . . .	17
2	Method . . . . .	22
3	Experiments . . . . .	28
4	Results and Discussions . . . . .	29
5	Conclusion . . . . .	36

**EXTENDED OPTIMAL FILTERS FOR ADAPTIVE-ON-  
TRANSMIT RADAR SYSTEMS USING BINARY CODES***A. V. Alejos, M. Dawood, and A. G. Sanchez*

1	Introduction . . . . .	41
2	Brief Theoretical Background to Classical Optimal and Modified Optimal Filters . . . . .	44
3	Proposed Extended Optimal Filtering Technique . . . . .	49
4	Doppler and Multipath Capability of Extended Optimal Codes . . . . .	53
5	Simulations Results . . . . .	54
6	Applicability . . . . .	55
7	Conclusions . . . . .	57
	Appendix A. . . . .	58
	Appendix B. . . . .	60
	Appendix C. . . . .	60

**A NOVEL MULTI-PORT MATCHING METHOD FOR  
MAXIMUM CAPACITY OF AN INDOOR MIMO  
SYSTEM**

*X. H. Yu, L. Wang, H. G. Wang, X. D. Wu, and Y. H. Shang*

1	Introduction . . . . .	67
2	MIMO Channel Model . . . . .	69
3	Theoretical Derivation . . . . .	72
4	Optimization Using GA . . . . .	74
5	Numerical Analysis . . . . .	76
6	Conclusion . . . . .	80
	Appendix A. . . . .	81
	Appendix B. . . . .	81

**HIGHER ORDER METHOD OF MOMENTS FOR  
BISTATIC SCATTERING FROM 2D PEC ROUGH  
SURFACE WITH GEOMETRIC MODELING BY  
NURBS SURFACE**

*A.-Q. Wang, L.-X. Guo, Y.-W. Wei, and J. Ma*

1	Introduction . . . . .	85
2	Formulas . . . . .	87
3	Generating the Impedance Matrix . . . . .	92
4	Numerical Results and Analyses . . . . .	95
5	Conclusion . . . . .	101

**POLARIMETRIC SAR TOMOGRAPHY USING  $\ell_{2,1}$   
MIXED NORM SPARSE RECONSTRUCTION METHOD**

*S. Xing, D. Dai, Y. Li, and X. Wang*

1	Introduction . . . . .	105
2	Basic Principle and Data Model . . . . .	107
3	Tomographic Method . . . . .	110
4	Performance Analysis . . . . .	116
5	Conclusion . . . . .	126

**THE ANALYTIC EXTRACTION OF THE COMPLEX-  
VALUED COUPLING MATRIX AND ITS APPLICATION  
IN THE MICROWAVE FILTER MODELING**

*J. Gulgowski and J. J. Michalski*

1	Introduction . . . . .	131
---	------------------------	-----

2	Filters without Cross-couplings .....	134
3	Cross-couplings and Reflection Characteristics .....	137
4	The Coupling Matrix Extraction .....	141
5	Conclusion .....	149

**SUBSTRATE INTEGRATED WAVEGUIDE  
FREQUENCY-AGILE SLOT ANTENNA AND ITS  
MULTIBEAM APPLICATION**

*Y. J. Cheng*

1	Introduction .....	153
2	SIW Frequency-agile Slot Antenna .....	155
3	Frequency-agile Multibeam Antenna .....	162
4	Conclusion .....	165

**INVESTIGATION ON DOPPLER SPECTRAL  
CHARACTERISTICS OF ELECTROMAGNETIC  
BACKSCATTERED ECHOES FROM DYNAMIC  
NONLINEAR SURFACES OF FINITE-DEPTH SEA**

*D. Nie, M. Zhang, X.-P. Geng, and P. Zhou*

1	Introduction .....	169
2	Dynamic Nonlinear Model for Finite-depth Seas .....	171
3	SSA-II Model for Calculation of the Doppler Spectrum .....	175
4	Numerical Results .....	177
5	Conclusion .....	182

**INVESTIGATION OF FANO RESONANCES INDUCED  
BY HIGHER ORDER PLASMON MODES ON A CIR-  
CULAR NANO-DISK WITH AN ELONGATED CAVITY**

*M. Amin and H. Bağcı*

1	Introduction .....	187
2	Design and Tunability .....	190
3	RLC Circuit Model .....	197
4	Simulation Parameters .....	200
5	Conclusion .....	201

**SIERPINSKIZED KOCH-LIKE SIDED MULTIFRACTAL DIPOLE ANTENNA**

*D. Li and J. Mao*

1	Introduction . . . . .	207
2	Sierpinskized Koch-like Sided Bow-tie (SKLB) . . . . .	208
3	$K_4S_4$ SKLB Multifractal Dipole Antenna . . . . .	211
4	Conclusion . . . . .	221

**RECONSTRUCTION OF MICROWAVE ABSORPTION PROPERTIES IN HETEROGENEOUS TISSUE FOR MICROWAVE-INDUCED THERMO-ACOUSTIC TOMOGRAPHY**

*J.-G. Wang, Z.-Q. Zhao, J. Song, X.-Z. Zhu, Z.-P. Nie and Q.-H. Liu*

1	Introduction . . . . .	226
2	Iterative Reconstruction Method . . . . .	227
3	Numerical Simulations . . . . .	231
4	Conclusions . . . . .	237

**DESIGN AND FABRICATION OF WIDEBAND ARCHIMEDEAN SPIRAL ANTENNA BASED ULTRA-LOW COST “GREEN” MODULES FOR RFID SENSING AND WIRELESS APPLICATIONS**

*Y. Amin, Q. Chen, L. R. Zheng, and H. Tenhunen*

1	Introduction . . . . .	241
2	“Green” Antennas Evolution . . . . .	243
3	Synthesis of the Antenna Topology . . . . .	244
4	Manufacturing Parametric Analysis . . . . .	246
5	Field & Circuit Concepts Parametric Analysis . . . . .	250
6	Conclusion . . . . .	253

**ATMOSPHERIC PROPAGATION AT 100 AND 300 GHz: ASSESSMENT OF A METHOD TO IDENTIFY RAINY CONDITIONS DURING RADIOSOUNDINGS**

*G. A. Siles, J. M. Riera, P. Garcia-del-Pino, and J. Romeu*

1	Introduction . . . . .	258
2	Meteorological Data . . . . .	260
3	Rain Detection Method . . . . .	262
4	Evaluation of the Method . . . . .	267



5 5-year Statistics of Total Attenuation at 100 and 300 GHz ... 273  
 6 Conclusions ..... 275

**FINITE DATA PERFORMANCE ANALYSIS OF LCMV ANTENNA ARRAY BEAMFORMERS WITH AND WITHOUT SIGNAL BLOCKING**

*Y.-L. Chen and J.-H. Lee*

1 Introduction ..... 282  
 2 Principles of LCMV Beamformers ..... 283  
 3 Performance of a LCMV Beamformer without Signal Blocking 286  
 4 Performance of a LCMV Beamformer with Signal Blocking .. 292  
 5 Simulation Results ..... 301  
 6 Conclusion ..... 306  
 Appendix A. .... 306  
 Appendix B. .... 310  
 Appendix C. .... 313  
 Appendix D. .... 314

**SHORT RANGE PROPAGATION MODEL FOR A VERY WIDEBAND DIRECTIVE CHANNEL AT 5.5 GHz BAND**

*B. Taha Ahmed, D. F. Campillo, and J. L. Masa Campos*

1 Introduction ..... 319  
 2 Propagation Model ..... 321  
 3 Measurement Campaign ..... 322  
 4 Conclusions ..... 343  
 Appendix A. .... 343

**SYSTEM-ON-CHIP 36.8 GHz RADIOMETER FOR SPACE-BASED OBSERVATION OF SOLAR FLARES: FEASIBILITY STUDY IN 0.25 μm SiGe BiCMOS TECHNOLOGY**

*L. Aluigi, L. Roselli, S. M. White, and F. Alimenti*

1 Introduction ..... 347  
 2 Scientific Background ..... 349  
 3 Instrument Architecture ..... 353  
 4 Circuit Design ..... 355  
 5 Radiometer Resolution and Calibration ..... 360  
 6 Conclusion ..... 364

**AN MR BRAIN IMAGES CLASSIFIER VIA PRINCIPAL COMPONENT ANALYSIS AND KERNEL SUPPORT VECTOR MACHINE**

*Y. Zhang and L. Wu*

1	Introduction . . . . .	370
2	Preprocessing . . . . .	371
3	Kernel SVM . . . . .	375
4	$K$ -fold Stratified Cross Validation . . . . .	377
5	Experiments and Discussions . . . . .	378
6	Conclusions and Discussions . . . . .	383

**A NOVEL COMPACT SPLIT RING SLOTTED ELECTROMAGNETIC BANDGAP STRUCTURE FOR MICROSTRIP PATCH ANTENNA PERFORMANCE ENHANCEMENT**

*M. S. Alam, M. T. Islam, and N. Misran*

1	Introduction . . . . .	389
2	Design of a Novel Split Ring Slotted Planar EBG (SRS-EBG) . . . . .	392
3	Performance Analysis of the Uniplanar SRS-EBG . . . . .	394
4	EBG with Microstrip Antenna . . . . .	399
5	Mutual Coupling Reduction of Array . . . . .	403
6	Conclusion . . . . .	406

**MIXED-MODE IMPEDANCE AND REFLECTION COEFFICIENT OF TWO-PORT DEVICES**

*T. Carrasco, J. Sieiro, J. M. Lopez-Villegas, and N. Vidal*

1	Introduction . . . . .	411
2	Input Reflection Coefficient of a Two-port Device . . . . .	413
3	Mixed-mode Driving Conditions . . . . .	416
4	Practical Case . . . . .	423
5	Conclusions . . . . .	426

**A RESONANCE TUNABLE AND DURABLE LSPR NANO-PARTICLE SENSOR:  $Al_2O_3$  CAPPED SILVER NANO-DISKS**

*D. Mortazavi, A. Z. Kouzani, and K. C. Vernon*

1	Introduction . . . . .	429
2	Theoretical Background . . . . .	432

3	Simulations and Discussions . . . . .	435
4	Conclusion . . . . .	442

**IMAGE SEQUENCE MEASURES FOR AUTOMATIC TARGET TRACKING**

*W.-H. Diao, X. Mao, H.-C. Zheng, Y.-L. Xue, and V. Gui*

1	Introduction . . . . .	447
2	Image Measures . . . . .	449
3	Image Sequence Measures . . . . .	457
4	Experimental Results . . . . .	462
5	Discussion and Conclusion . . . . .	467

**EVALUATION OF LIGHTNING CURRENT AND VELOCITY PROFILES ALONG LIGHTNING CHANNEL USING MEASURED MAGNETIC FLUX DENSITY**

*M. Izadi, M. Z. A. Ab Kadir, C. Gomes, V. Cooray, and J. Shoene*

1	Introduction . . . . .	473
2	Lightning Return Stroke Current . . . . .	475
3	Return Stroke Velocity . . . . .	478
4	The Proposed Inverse Procedure Algorithm . . . . .	478
5	Conclusion . . . . .	487

**GROUND MOVING TRAIN IMAGING BY KU-BAND RADAR WITH TWO RECEIVING CHANNELS**

*Y. Zhang, W. Zhai, X. Zhang, X. Shi, X. Gu, and Y. Deng*

1	Introduction . . . . .	493
2	Experimental Radar System . . . . .	494
3	Imaging Model and Data Processing . . . . .	497
4	Imaging Results and Scattering Analysis . . . . .	502
5	Time-frequency Analysis of Azimuthal Signals . . . . .	507
6	Conclusion . . . . .	510

**CONTROLLING THE ELECTROMAGNETIC FIELD BY INDEFINITE MEDIA WITH EXTREMELY STRONG ANISOTROPY**

*J. Sun, T. Sun, B. Li, H. L. W. Chan, J. Zhou, and Y. Wang*

1	Introduction . . . . .	514
2	Theory . . . . .	514
3	Simulations . . . . .	517

4	Conclusion . . . . .	521
---	----------------------	-----

### **A NOVEL 3-D WEAKLY CONDITIONALLY STABLE FDTD ALGORITHM**

*J. Wang, B. Zhou, L. Shi, C. Gao, and B. Chen*

1	Introduction . . . . .	525
2	Implementation of the Proposed Method . . . . .	526
3	Numerical Validation . . . . .	534
4	Conclusion . . . . .	538

### **ROBUST LCMP BEAMFORMER WITH NEGATIVE LOADING**

*C. F. Liu and J. Yang*

1	Introduction . . . . .	541
2	Signal Model and LCMP Beamformer . . . . .	543
3	LCMP Beamformer Under Quadratic Inequality Constraint . . . . .	544
4	Quadratic Inequality Constraint Parameter Selection . . . . .	550
5	LCMP Beamformer under Quadratic Equality Constraint . . . . .	551
6	Simulation Analysis . . . . .	555
7	Conclusion . . . . .	558

### **AN ADAPTIVE METHOD TO FOCUSING IN AN UNKNOWN SCENARIO**

*L. Crocco, L. Di Donato, D. A. M. Iero, and T. Isernia*

1	Introduction . . . . .	563
2	The Linear Sampling Method: A Review . . . . .	565
3	Adaptive Focusing via LSM . . . . .	566
4	Method's Implementation and Numerical Examples . . . . .	570
5	Conclusion . . . . .	576

### **EVALUATION OF LIGHTNING RETURN STROKE CURRENT USING MEASURED ELECTROMAGNETIC FIELDS**

*M. Izadi, M. Z. A. Ab Kadir, C. Gomes, and V. Cooray*

1	Introduction . . . . .	581
2	Return Stroke Current . . . . .	582
3	The Electromagnetic Fields Associated with a Lightning Channel . . . . .	584

4	Evaluation of Return Stroke Current Using Measured Electromagnetic Fields .....	587
5	Conclusion .....	596

**DETERMINATION OF DIELECTRIC PROPERTY OF  
CONSTRUCTION MATERIAL PRODUCTS USING A  
NOVEL RFID SENSOR**

*R. Suwalak, C. Phongcharoenpanich, D. Torrungrueng  
and M. Krairiksh*

1	Introduction .....	601
2	Theory .....	603
3	Simulation and Measurement Results .....	605
4	Conclusions .....	614