

---

**ELECTROMAGNETIC  
WAVES**                      **PIERC 42**

---

**Progress**

**In**

**Electromagnetics**

**Research C**

© 2013 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

E-ISSN 1937-8718

---

**ELECTROMAGNETIC  
WAVES                      PIERC 42**

---

**Progress**

**In**

**Electromagnetics  
Research C**

**Chief Editor: Weng Cho Chew**

EMW Publishing  
Cambridge, Massachusetts, USA



## CONTENTS

**CHARACTERIZATION OF LOSSY SIW RESONATORS  
BASED ON MULTILAYER PERCEPTRON NEURAL  
NETWORKS ON GRAPHICS PROCESSING UNIT***Giandomenico Amendola, Giovanni Angiulli, Emilio Arneri  
Luigi Boccia, and Domenico De Carlo*

|   |  |   |
|---|--|---|
| 1 | Introduction . . . . .                                       | 1 |
| 2 | Resonances and Quality Factor $Q$ of Lossy SIW Resonators .  | 2 |
| 3 | Feed forward Multilayer Perceptron Neural Networks . . . . . | 3 |
| 4 | Graphics Processing Unit Devices . . . . .                   | 4 |
| 5 | Numerical Results . . . . .                                  | 5 |
| 6 | Conclusions . . . . .  | 9 |

**QUASI-ELLIPTIC WIDEBAND BANDPASS FILTERS  
USING STUBS LOADED ANTI-PARALLEL COUPLED-  
LINE***Jin Xu and Wen Wu*

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .  | 13 |
| 2 | Analysis of Proposed Stubs Loaded Anti-parallel Coupled-line  | 15 |
| 3 | Analysis of Proposed Quasi-elliptic Wideband Bandpass<br>Filters (BPFS) . . . . .                       | 18 |
| 4 | Simulated and Measured Results of Proposed Quasi-elliptic<br>Wideband Bandpass Filters (BPFS) . . . . . | 23 |
| 5 | Conclusion . . . . .  | 26 |

**APPLICATION OF BIONICS IN FREQUENCY SELE-  
CTIVE SURFACE DESIGN AND ANTENNA RADAR  
CROSS SECTION REDUCTION***Wen Jiang, Tao Hong, and Shuxi Gong*

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .                          | 29 |
| 2 | Design Process of Bionic FSS . . . . .          | 31 |
| 3 | Antenna Radar Cross Section Reduction . . . . . | 35 |
| 4 | Conclusion . . . . .                            | 36 |

### INTEGRATED BLUETOOTH/IMT-E AND UWB PLANAR ANTENNA USING SCRLH RESONATOR TO REJECT WLAN AND WiMAX INTERFERENCES

*Viet Hoang-The, Quyet Nguyen-Manh, Dong Hyun Lee and Hyun Chang Park*

|   |                                   |    |
|---|-----------------------------------|----|
| 1 | Introduction . . . . .            | 39 |
| 2 | Design and Analysis . . . . .     | 41 |
| 3 | Results and Discussions . . . . . | 46 |
| 4 | Conclusion . . . . .              | 50 |

### INDEPENDENTLY-TUNED DUAL-BAND FILTER USING VARACTOR-LOADED RESONATORS

*Xiu Yin Zhang, Li Gao, Yunfei Cao, Xiao-Lan Zhao, and Yong Ding*

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .                          | 55 |
| 2 | Design of the Proposed Tunable Filter . . . . . | 56 |
| 3 | Results and Discussion . . . . .                | 61 |
| 4 | Conclusion . . . . .                            | 64 |

### FAST SYNTHESIS OF LARGE PLANAR ARRAYS USING ACTIVE ELEMENT PATTERN METHOD AND FINE-GRAINED PARALLEL MICRO-GENETIC ALGORITHM

*Ling-Lu Chen, Cheng Liao, Lei Chang, Haijing Zhou, and Han Yu Li*

|   |  |    |
|---|--|----|
| 1 | Introduction . . . . .                                     | 67 |
| 2 | Fine-grained Parallel Micro-genetic Algorithm . . . . .    | 69 |
| 3 | Active Element Pattern Method for Planar Antenna Array . . | 71 |
| 4 | Optimization Results of Planar Antenna Arrays . . . . .    | 76 |
| 5 | Conclusion . . . . .                                       | 79 |

### A SIMPLE UWB ANTENNA WITH DUAL STOP-BAND PERFORMANCE USING RECTANGULAR SLOT AND STRIP LINE ENDED UP SHORTING PIN

*Mohammad Akbari, Meghdad Khodaei, Saman Zarbakhsh and Reza Gholami*

|   |   |    |
|---|---|----|
| 1 | Introduction . . . . .  | 83 |
| 2 | Antenna Structure and Design . . . . .  | 84 |
| 3 | Effects of Different Parameters on Antenna Performance and Time-domain Analysis . . . . . | 85 |
| 4 | Measurement Results and Discussions . . . . .   | 91 |
| 5 | Conclusion . . . . .  | 93 |

**A NOVEL TWO-LAYER STACKED MICROSTRIP ANTENNA ARRAY USING CROSS SNOWFLAKE FRACTAL PATCHES**

*Wei Jin, Xiaoqing Yang, Xueyao Ren, and Kama Huang*

|   |                                |     |
|---|--------------------------------|-----|
| 1 | Introduction . . . . .         | 95  |
| 2 | Antenna Array Design . . . . . | 97  |
| 3 | Experimental Results . . . . . | 104 |
| 4 | Conclusion . . . . .           | 106 |

**A NOVEL DESIGN OF LTE SMART MOBILE ANTENNA WITH MULTIBAND OPERATION**

*Sheng-Ming Deng, Ching-Long Tsai, Jiun-Peng Gu  
Kwong-Kau Tiong and Kuo-Wei Liu*

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .                     | 109 |
| 2 | Antenna Configuration and Design . . . . . | 111 |
| 3 | Results . . . . .                          | 113 |
| 4 | Parametric Study and Analysis . . . . .    | 120 |
| 5 | Conclusions . . . . .                      | 122 |

**NEUROCOMPUTATIONAL ANALYSIS OF COAXIAL FED STACKED PATCH ANTENNAS FOR SATELLITE AND WLAN APPLICATIONS**

*Satish K. Jain and Shobha Jain*

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .                            | 125 |
| 2 | Proposed Stacked Patch Antenna Geometry . . . . . | 127 |
| 3 | Proposed Analysis Methodology . . . . .           | 128 |
| 4 | Results and Discussion . . . . .                  | 132 |
| 5 | Conclusions . . . . .                             | 133 |

**WIDEBAND CPW-FED CIRCULARLY POLARIZED ANTENNA WITH MODIFIED FEEDING LINE AND SYMMETRIC ELLIPSE-APERTURE**

*Xi Li, Yi Wang, Ai-Qin Li, and Lin Yang*

|   |                                 |     |
|---|---------------------------------|-----|
| 1 | Introduction . . . . .          | 137 |
| 2 | Antenna Design . . . . .        | 139 |
| 3 | Result and Discussion . . . . . | 140 |
| 4 | Conclusion . . . . .            | 145 |

**DIELECTRIC LOADED EXPONENTIALLY TAPERED  
SLOT ANTENNA UTILIZING SUBSTRATE INTEGRA-  
TED WAVEGUIDE TECHNOLOGY FOR MILLIMETER  
WAVE APPLICATIONS**

*Subramaniam Ramesh and Thipparaju R. Rao*

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .                                   | 149 |
| 2 | Antenna Design . . . . .                                 | 151 |
| 3 | Simulation and Measurement Results Discussions . . . . . | 156 |
| 4 | Conclusions . . . . .                                    | 161 |

**SIMPLE PRINTED ANTENNA WITH PARASITIC ELE-  
MENT FOR DVB-H, LTE/700 AND GSM HANDHELD  
TERMINALS**

*Zedong Wang and Yingzeng Yin*

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .                        | 165 |
| 2 | Antenna Design and Parameters Study . . . . . | 167 |
| 3 | Simulation and Experimental Result . . . . .  | 171 |
| 4 | Conclusion . . . . .                          | 174 |

**WIDEBAND DGS CIRCULAR RING MICROSTRIP  
ANTENNA DESIGN USING FUZZY APPROACH  
WITH SUPPRESSED CROSS-POLAR RADIATIONS**

*Rakesh Sharma, Abhishek Kandwal, and Sunil Kumar Khah*

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .                            | 177 |
| 2 | Theory . . . . .                                  | 179 |
| 3 | Antenna Design and Fuzzy Approach (FIS) . . . . . | 180 |
| 4 | Simulations and Measurements . . . . .            | 183 |
| 5 | Conclusion . . . . .                              | 187 |

**CONDUCTED EMISSION MEASUREMENT OF A CELL  
PHONE PROCESSOR MODULE**

*Fayu Wan, Junxiang Ge, and Mengxiang Qu*

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .                                   | 191 |
| 2 | Methodology Comparison and Test Setup . . . . .          | 192 |
| 3 | Measurement . . . . .                                    | 196 |
| 4 | Short Time FFT . . . . .                                 | 198 |
| 5 | Data Consistency and Measurement Repeatability . . . . . | 199 |
| 6 | Conclusions . . . . .                                    | 202 |



### OPTIMAL POLARIZATION DESIGN FOR DIRECTION FINDING USING MIMO ELECTROMAGNETIC VECTOR-SENSOR ARRAY

*Guimei Zheng and Baixiao Chen*

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .                                     | 205 |
| 2 | Problem Formulation . . . . .                              | 206 |
| 3 | Optimal Polarization Design Based on Minimizing of CRB . . | 207 |
| 4 | Simulation Results . . . . .                               | 209 |
| 5 | Conclusion . . . . .                                       | 210 |

### PRIMARY USER SIGNAL DETECTION BASED ON VIRTUAL MULTIPLE ANTENNAS FOR COGNITIVE RADIO NETWORKS

*Fulai Liu, Shouming Guo, and Yixiao Sun*

|   |                                  |     |
|---|----------------------------------|-----|
| 1 | Introduction . . . . .           | 214 |
| 2 | Data Model . . . . .             | 216 |
| 3 | S-MME Detection Method . . . . . | 217 |
| 4 | Simulation Results . . . . .     | 222 |
| 5 | Conclusions . . . . .            | 224 |

### A NEW COUPLED-LOOP ANTENNA FOR EIGHT-BAND LTE/WWAN OPERATION IN ULTRA-THIN LAPTOP COMPUTER

*Xianbin Zhu and Yufa Sun*

|   |                                   |     |
|---|-----------------------------------|-----|
| 1 | Introduction . . . . .            | 229 |
| 2 | Proposed Antenna . . . . .        | 230 |
| 3 | Results and Discussions . . . . . | 232 |
| 4 | Conclusions . . . . .             | 237 |

### DESIGN OF EVEN-ORDER SYMMETRIC BANDPASS FILTER WITH CHEBYSHEV RESPONSE

*Kai Wang, Li-Sheng Zheng, Sai Wai Wong, Yu-Fa Zheng and Qing-Xin Chu*

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .   | 240 |
| 2 | Theoretical Values of $J$ -inverter . . . . .                          | 242 |
| 3 | The Design Procedure of Even-order Chebyshev Bandpass Filter . . . . . | 244 |
| 4 | Experimental Results . . . . .   | 248 |
| 5 | Conclusion . . . . .   | 249 |

**HIGH-DYNAMIC DOA ESTIMATION BASED ON  
WEIGHTED  $L_1$  MINIMIZATION***Wenyi Wang and Renbiao Wu*

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .                                    | 253 |
| 2 | Problem Formulation and Compressive Sensing Algorithm . . | 255 |
| 3 | Proposed DOA Tracking Algorithm . . . . .                 | 257 |
| 4 | Simulations . . . . .                                     | 261 |
| 5 | Conclusion . . . . .                                      | 264 |