

---

**ELECTROMAGNETIC WAVES**  
**PIERM 101**

---

**Progress**

**In**

**Electromagnetics**

**Research M**

© 2021 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

---

**ELECTROMAGNETIC WAVES**  
**PIERM 101**

---

**Progress**  
**In**  
**Electromagnetics**  
**Research M**

Chief Editors: Weng Cho Chew and Sailing He

EMW Publishing  
Cambridge, Massachusetts, USA



## CONTENTS

<b>Straightforward EMDrive Setup with NASA-Like Cavities</b>	
Hugo Peyre, Jérôme Sokoloff, Olivier Pascal, Olivier Pigaglio, and Nathalie Raveu . . . . .	1
<b>Spatial Magnetic Field Calculations for Coreless Circular Coils with Rectangular Cross-Section of Arbitrary Turn Numbers</b>	
Yiming Wang, Xu Xie, and Hengfeng Wang . . . . .	9
<b>Spoof Surface Plasmon Polaritons and Half-Mode Substrate Integrated Waveguide Based Compact Band-Pass Filter for RADAR Application</b>	
Keyur Mahant, Hiren Mewada, Amit Patel, Alpesh Vala, and Jitendra Chaudhari . . . . .	25
<b>Laser Monitor for Studying the Combustion of Thin Layers of Metal Nanopowders</b>	
Fedor A. Gubarev, Andrei V. Mostovshchikov, Anatoliy I. Fedorov, and Lin Li . . . . .	37
<b>Contact ECG Recording Using Copper and E-Textile Based Flexible Dry Electrodes</b>	
Kai Ren, Mohammad R. Nikkhah, Steve Eggleston, Yu-Jiun Ren, and Nader Behdad . . . . .	47
<b>Broadband and High-Aperture Efficiency Fabry-Perot Antenna with Low RCS Based on Nonuniform Metamaterial Superstrate</b>	
Hui-Fen Huang and Qi-Sheng Fan . . . . .	59
<b>Millimeter-Wave Frequency-Diverse Imaging with Phased Array Intended for Communications</b>	
Mikko K. Leino, Jan Bergman, Juha Ala-Laurinaho, and Ville Viikari . . . . .	69
<b>G-Shaped Defected Microstrip Structure Based Method of Reducing Crosstalk of Coupled Microstrip Lines</b>	
Rui Li, Yafei Wang, Wei Yang, and Xuehua Li . . . . .	79
<b>Research on the Model and Characteristics of Underground Magnetic Induction Communication Channel</b>	
Bao Heng Liu, Yong Bin Wang, and Tian Hui Fu . . . . .	89
<b>Full Wave Analysis of Multilayered Cylindrical Resonator Containing Uniaxial Anisotropic Media</b>	
Krzysztof Derzakowski . . . . .	101
<b>Uncertainty Quantification and Parameter Estimation in the Finite-Difference Frequency-Domain Method Using Polynomial Chaos</b>	
Andrew C. M. Austin . . . . .	117
<b>Direct Control of Bearingless Permanent Magnet Synchronous Motor Based on Prediction Model</b>	
Huangqiu Zhu and Mingcan Wu . . . . .	127

---

<b>Near-Field Image Transmission and EVM Measurements in Rich Scattering Environment in Metal Enclosure</b>	
Mir Lodro, Gabriele Gradoni, Chris Smartt, Ana Vukovic, Dave Thomas, and Steve Greedy . . . .	139
<b>Resonator Based Antenna Sensor for Breast Cancer Detection</b>	
Praveen K. Rao and Rajan Mishra . . . . .	149
<b>Design and Development of Radio Wave Absorber Using Eco-Friendly Materials</b>	
Odampilly Rahul Manohar, Anju Pradeep, and Pezholil Mohanan . . . . .	161
<b>Compact Metal-Mountable UHF RFID Tag Antenna with Two Large C-Shaped Slots for On-the-Fly Tuning</b>	
Fwee-Leong Bong, Kunalen Thirappa, Eng-Hock Lim, and Kogulabalan Perumal . . . . .	173
<b>Polarimetric Parameters of Scattered Electromagnetic Waves in the Conductive Magnetized Plasma</b>	
George V. Jandieri and Akira Ishimaru . . . . .	185
<b>BER Analysis in Non-Homogeneous Fading Environments with Impulsive Noise</b>	
Umer Ashraf and Ghulam R. Begh . . . . .	197
<b>Diffraction of the Electromagnetic Plane Waves by Double Half-Plane with Fractional Boundary Conditions</b>	
Vasil Tabatadze, Kamil Karaçuha, Eldar Veliev, and Ertuğrul Karaçuha . . . . .	207
<b>On the Distortionless of UWB Wearable Hilbert-Shaped Metamaterial Antenna for Low Energy Applications</b>	
Ahmed I. Imran, Taha A. Elwi, and Ali J. Salim . . . . .	219